

1001 24 2002

08/903,677.

CONF
R

Patent



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named Inventor: CARL E. HANSON

Patent No.: 6,457,474 B1

Group Art Unit: 3626

Dated: October 1, 2002

Examiner: Dinh X. Nguyen

Title: METHOD OF TREATING CHEST PAIN

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR § 1.322

Commissioner for Patents
Certificate of Correction Branch
Washington, DC 20231

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on:

October 16, 2002
Date

Signed by: Karl G. Hanson

Dear Sir:

It is respectfully requested that a Certificate of Correction be issued in connection with the above-identified patent. The required text is submitted on the attached form.

Because the listed errors first occurred in the printed patent, and are not due to applicant's mistake, no fee is required in connection with this Certificate of Correction.

Respectfully submitted,

October 16, 2002

Date

By:

Karl G. Hanson, Reg. No.: 32,900
Telephone No.: 651-736-7776

P.O. Box 33427
St. Paul, MN 55133-3427
Facsimile No.: 651-736-3833

Certificate
OCT 23 2002
of Correction

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO.: 6,457,474 B1
DATED: October 1, 2002
FIRST NAMED INVENTOR: Carl E. Hanson

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Cover Page

The Inventor's address is incorrect. Please delete "P.O. Box 33427, St. Paul, MN (US) 55133-3427" and insert therefore --Lanark Village, FL--.

MAILING ADDRESS OF SENDER:

**OFFICE OF INTELLECTUAL PROPERTY COUNSEL
3M INNOVATIVE PROPERTIES COMPANY
3M CENTER - P.O. BOX 33427
SAINT PAUL, MINNESOTA 55133-3427**

PATENT NO.

No. of add'l copies: - 0 -
@ 50¢ per page

No add'l copies